ROCKY FLATS PLANT
EMD OPERATING
PROCEDURES MANUAL
VOLUME III: GEOTECHNICAL

Manual No.: Procedure No.:

Page:

5-21000-OPS-GT

Table of Contents, Rev 57

1 of 3 04/22/94

Effective Date: Organization:

Environmental Management

THIS IS ONE VOLUME OF A SIX VOLUME SET WHICH INCLUDES:

VOLUME I: FIELD OPERATIONS (FO)
VOLUME II: GROUNDWATER (GW)
VOLUME III: GEOTECHNICAL (GT)
VOLUME IV: SURFACE WATER (SW)
VOLUME V: ECOLOGY (EE)
VOLUME VI: AIR (AP)

EG&G SUPERSEDED

TABLE OF CONTENTS FOR VOLUME III: GEOTECHNICAL

Procedure <u>No.</u>	Title	Rev. <u>No.</u>	Effective <u>Date</u>
GT.01	Logging Alluvial and Bedrock Material	2	05/12/92
DCN 92.01 DCN 93.01 DCN 93.02 DCN 93.03 DCN 93.04 DCN 93.05 DCN 93.06	Specialized Logging Form Logging Logging Deliverables Standard Practices Core Log QC Change Lithologic Descriptions Logging with Well Points SVE Core Description	2 2 2 2 2 2 2	EXPIRED EXPIRED 06/18/93 07/15/93 07/28/93 08/20/93
GT.02	Drilling and Sampling Using Hollow Stem Auger Techniques	, 2	05/12/92
DCN 92.04	Prevention of Down Hole Contamination EXTENDED	2	7/28/93
93-DMR-000955	Form GT.2A Modification	2	01/10/94
93-DMR-000960	QC Sample Collection Modification	2	01/10/94
94-DMR-000382	Approval Process and Sampling Collection Modification	2	03/28/94
94-DMR-000405	Sample Liner Taping Changes	2	03/28/94

DOCUMENT CLASSIFICATION REVIEW WAIVER PER R.B. HOFFMAN, CLASSIFICATION OFFICE JUNE 11, 1991

ROCKY FLATS PLANT EMD OPERATING PROCEDURES MANUAL VOLUME III: GEOTECHNICAL Manual No.: Procedure No.: Page: Effective Date: 5-21000-OPS-GT Table of Contents, Rev 57 2 of 3 04/22/94

Organization:

Environmental Management

		_	
Procedure No. <u>Title</u>		Rev. <u>No.</u>	Effective <u>Date</u>
GT.03	Isolating Bedrock from Alluvium with Grouted Surface Casing	2	05/12/92
DCN 93.01 93-DMR-000956 •94-DMR-000418	Data Quality Objectives for PLF Investigations Form GT.3A Modification Advanced Notification to the State of Colorado	2 2 2	EXPIRED 01/10/94 04/22/94
GT.04	Rotary Drilling and Rock Coring	2	05/12/92
93-DMR-000957 •94-DMR-000419	FORM GT.4A Modification Advanced Notification to the State of Colorado	2 2	01/10/94 04/22/94
GT.05	Plugging and Abandonment of Boreholes	2	05/12/92
93-DMR-000961	Form GT.5A Modification	2	01/10/94
GT.06	Monitoring Wells and Piezometer Installation	2	05/12/92
DCN 93.02 DCN 93.03 DCN 93.04 DCN 93.05 DCN 93.06 DCN 93.07 DCN 93.08 DCN 93.09	Well Point Installation Piezometer Logging Modification Wells - 5.3.2.2 Revised Temperatures - 5.3.2.3 Revised Provide Numbers to Reference Corresponding Items DCN 93.01 Modification PVC Schedule Change Change to PVC Casing Thickness	2 2 2 2 2 2 2 2	EXPIRED EXPIRED EXPIRED EXPIRED EXPIRED 05/10/93 05/11/93
DCN 93.10 DCN 93.11 DCN 93.12 DCN 93.13 DCN 93.14	SVE Bentonite Chips SVE Well Specifications Riser Installation Cancel DCN 93.11, Item #! for OU 2 SVE Study Revision of Figure GT.6-3	2 2 2 2 2	08/20/93 08/20/93 09/02/93 10/06/93 10/06/93
GT.07	Logging and Sampling of Test Pits and Trenches	2	05/12/92
94-DMR-000276	Section GT.07 and form Modifications	2	02/28/94
GT.08	4-E42-ER-OPS-GT.08 Surface Soil Sampling	3	01/25/94
94-DMR-000133	Sampling Modifications	3	02/04/94

ROCKY FLATS PLA	NT Manual N	0.:	5-21	000-OPS-GT	
EMD OPERATING PROCEDURES MA VOLUME III: GEOT	Procedure NUAL Page: ECHNICAL Effective	Procedure No.:	Table of Contents, Rev 57 3 of 3 04/22/94 Environmental Management		
94-DMR-000229	Editorial Correction GT.08		3	03/14/94	
Procedure <u>No.</u>	<u>Title</u>		Rev. <u>No.</u>	Effective <u>Date</u>	
GT.09	Soil Gas Sampling and Field Ana	lysis	2.	05/12/92	
•94-DMR-000431	Calibration Occurrence Clarificat	ion	2	04/11/94	
GT.10	Borehole Clearing		. 2	05/12/92	
GT.11	Plugging and Abandonment of V	Plugging and Abandonment of Wells		05/12/92	
93-DMR-000962	Form GT.11A Modification		. 2	01/10/94	
GT.15	Geophysical Borehole Logging		2	05/12/92	
GT.17	Land Surveying		2	05/12/92	
DCN 93.01	Land Surveying Clarification		2	09/02/93	
GT.18	Surface Geophysical Surveys		2	05/12/92	
DCN 93.01 DCN 93.02	5.4 Field Procedure Revisions5.5 Time Domain Electromagnetic Metal Detection		2 2	EXPIRED 11/22/93	
GT.19	Field Gas Chromatographs		2	05/12/92	
GT.20	Procedures for Soil Interstitial Water Sampling and Sampler Installation		2	05/12/92	
94-DMR-000297	Section GT.20 and form Modifications		2	02/28/94	
GT.21	Cone Penetrometer Testing		1	05/12/92	
DCN 93.01 DCN 93.02	CPT Rods Offsets		1 1	EXPIRED EXPIRED	
GT.24	Approval Process for Construction on or Near Individual Hazardous Sites (IHSSs)		0	05/12/92 ⁻	

DOCUMENT MODIFICATION REQUEST (DMR)

								Page 1 of
Refer	to 1-A0	1-PPG-00	1 for Proces	sing Instructions.		1. Date	25.	2/
Print or Type All Information (Except Signatures)			March 17, 1994	DMR. No. 94-DM	R-000418 ^{3/}			
	-	nt Number/		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		1	er or Document Number if it is	to be changed with this
5-21000-OPS-GT.3/Rev2			Revision NA					
4. Originator's Name/Phone/Page/Location J.A. Paschis/x8644/NA/080			5. Document Title Isolating Bedrock from	m the Alluvium with Grou	ted Surface Casing			
		Procedur		7. Document Modification	Type (Check only one)	1		
□ Oth	er			□ New □ Revision	☑ Intent Change □		☐ Editorial Correction ☐	Cancellation
8. Item		10. Step				Proposed Modifications		
			If the end-p to SOP GT. monitoring installation i requirement. Add the foll Solution is sufficient to the solution is suffic	6 and other contained rewells from Environment is necessary for the state is should be reviewed an owing reference to the limit of the ST.24, Approval Property of the ST.24, Approval Propert	to install and completed SOPs for further all Sciences and Engir of Colorado, Division of followed to acquire sist of SOPs:	te a monitoring well, no or instructions. These p leering, Geosciences Di on of Water Resources. soil disturbance approv n Activities on or Near	ot a piezometer, the Project procedures specify pre-instrations. Advanced notifica Prior to invasive activitie val from RFP Construction Individual Hazardous Sub-	allation approval for tion of monitoring well s, SOP GT.24 Management.
If modifica	tion is for a				3, and enter N/A in Blocks I	4 and 15. If modification is for	any type of change or a cancellation,	organizations are listed in Block
13. Organiz		<u> </u>	l Sign (if applicable)				15. Date (if applicable)
	Æ	Tim Lovse	, -	Jung to ho	Lett			3/18/94
EC	YS PM	Mark Broo		in Cosh	-1			13 3 14 1610
	M	Wanda Bu Marla Bro	·	21:5736				32194
E1		Gary Ande	144	nous				CARROLL
	PP	Steve Keitl	<u> </u>	and I meeting	~			3/20/01
				sau				3/27/14
		<u> </u>						
·								
		ļ						
						·		
		f						
	n H. Sing	visor (print/sig	MUI (15 5	eghen A. S	Singol	3/17/94	
		one/Page/Logs 06/5134/080			18. Cost Center 0202	19. Charge Number ENV-GT	20. Requested Completion Date 03/21/94	21. Effective Date 4-22-94 SUPL
	rated Review		23. ORC Review	,	0202	PAV-GI	03/21/74	11-66-17 da
	No SS	*	1	d; this nonintent change was	processed as an intent of		process.	
	nsible Mana E. Levin	ger (print, sign	i, date)	4-11-94	········· <u> </u>			
		1/2-	 			В.		CLASSIFICATION/UCNI
							TE NA	

ISOLATING BEDROCK FROM THE ALLUVIUM WITH GROUTED SURFACE CASING

EG&G ROCKY FLATS PLANT	Manual:	5-21000-OPS
EMD MANUAL OPERATION SOP	Procedure No.:	GT.3, Rev. 2
And the second s	Page:	1A of 10
· · · · · · · · · · · · · · · · · · ·	Effective Date:	04/22/94
Category 2	Organization:	Environmental Management

LIST OF EFFECTIVE PAGES

Pages	Effective Date	Change Number
1	05/10/93	DCN 93.02
1A	04/22/94	94-DMR-000418
2-3A	04/22/94	94-DMR-000418
3	01/10/94	93-DMR-000956
5	05/10/93	DCN 93.02
5	08/20/93	DCN 93.04
5	02/10/93	DCN 93.01
6-9	05/10/93	DCN 93.02
9-10A	01/10/94	93-DMR-000956
Form GT.3	01/10/94	93-DMR-000957

TOTAL NUMBER OF PAGES (including forms): 17

ISOLATING BEDROCK FROM THE ALLUVIUM WITH GROUTED SURFACE CASING

EG&G ROCKY FLATS PLANT	Manual:	5-21000-OPS
EMD MANUAL OPERATION SOP	Procedure No.:	GT.3, Rev. 2
en de la companya del companya de la companya del companya de la c	Page:	2 of 10
	Effective Date:	2 of 10 04/22/94
Category 2	Organization:	Environmental Management

2.0 PURPOSE AND SCOPE

This standard operating procedure (SOP) describes procedures that will be used at the Rocky Flats Plant (RFP) to install surface casing (where required) grouted into the top of bedrock to isolate the bedrock from the alluvium. The intent of implementing this SOP is to prevent cross-contamination from the alluvium into the bedrock. This may be required for environmental sampling of the bedrock in boreholes and for construction of bedrock monitoring wells. The following items are discussed in this SOP:

- Drilling methods for advancing boreholes
- Surface casing installation materials
- Surface casing installation procedures

If the end-purpose of the drilling is to install and complete a monitoring well, not a piezometer, the Project Manager should refer to SOP GT.6 and other contained related SOPs for further instructions. These procedures specify pre-installation approval for monitoring wells from Environmental Sciences and Engineering, Geosciences Division. Advanced notification of monitoring well installation is necessary for the state of Colorado, Division of Water Resources. Prior to invasive activities, SOP GT.24 requirements should be reviewed and followed to acquire soil disturbance approval from RFP Construction Management.

This SOP describes the field procedures that will be used to install surface casing and document the procedures in order to attain acceptable standards of accuracy, precision, comparability, representativeness, and completeness.

ISOLATING BEDROCK FROM THE ALLUVIUM WITH GROUTED SURFACE CASING

EG&G ROCKY FLATS PLANT EMD MANUAL OPERATION SOP			Manual: Procedure No.:	5-21000-OPS GT.3, Rev. 2 3A of 10
			Page: Effective Date:	04/22/94
Categ	ory 2 		Organization:	Environmental Management
<u> </u>				•
000956	•	SOP GT.1, Loggin	ng Alluvial and Bedrock N	faterial
1	. •	SOP GT.2, Drillin	g and Sampling Using Ho	ollow-Stem Auger Techniques
ONK	•	SOP GT.4, Rotary	Drilling and Rock Corin	g
1	•	SOP GT.10, Borel	nole Clearing	
e 1	•	SOP FO.14, Field	Data Management	
مدا	•	SOP GT.24, Appr	oval Process for Construc	tion Activities on or Near Individual
8/2000		Hazardous Substa	nce Sites (IHSSs)	
DMR-				